

# Exhibitor health & Safety Instructions - 2025

1/17



## CERTIFICATE TO BE RETURNED TO ARTIBAT



To be returned to ARTIBAT.  
1, rue Louis Marin - 44200 Nantes  
Tél. : +33 (0)2 40 89 81 95  
E-mail : technique@artibat.com



A question ?

Contact D.Ö.T.  
93, rue du Château - 92100 BOULOGNE  
Tél. : +33 (0)1 46 05 17 85  
E-mail : sps@d-o-t.fr

Stand N°: .....	Exhibitor : .....
Represented by the person in charge of the stand : Mrs / Mr.....	
Phone number: .....	Email : .....
stand builder information : .....	Name : .....
.....	Tel : .....
.....	Email : .....

## PLEASE FILL THE SECTION THAT APPLIES TO YOU

### IF YOUR STAND IS:

- Built by the Organizer or by yourself or by only one company without subcontractor

Please return this certificate (page 1) to the DÖT Company on or before **July 11th 2025** and pass on this document to all contractors who you have appointed to work on your stand during the build up and breakdown of the show.

### IF YOUR STAND IS :

- Installed by at least two independent companies (including sub-contractors)  Quantity

- Includes partitions walls more than 3.00 meters high

#### You must :

- **Return this certificate to ARTIBAT before July 11th 2025 with a visual of your stand**

- **Appoint a health and safety coordinator**

**WARNING: communicate their contact details together with their GHSPCP General Health and Safety Protection Coordination Plan to the D.Ö.T Company. Law of 31/12/93 N° 93-1418 and Decree of 26 December 1994 N° 94-1159**

Your decorator/stand builder or yourself are not allowed to carry out this task. Only a Health and Safety Coordinator having an official certificate of competence is allowed to complete this form.

**In observance of current legislation, the Health and Safety Protection coordinator appointed by the exhibitor is obliged :**

1 - **To send to the DÖT Company, the G.H.S.P.C.P of the stand in hard copy, at least 30 days before the event assembly begins.**

2 - **To specify their dates of work on site arranged under contract with their client.**

I Declare that I have read the document relating to the prevention of accidents at work and health protection concerning my participation in ARTIBAT 2025 and undertakes to conform to it without reserve or restriction.

COMPANY STAMP AND SIGNATURE MANDATORY

Done at :

# Exhibitor health & Safety Instructions - 2025 2/17

## IMPORTANT PLEASE NOTE

Legislation regarding the prevention of accidents at work imposes health and safety protection coordination for any work site placing at least two companies or self-employed workers in the presence of one another. The exhibitor Instructions communicated to you defines all the measures set in place to prevent risks arising from the interference of the activities of the various people working on this event. This document was drawn up at the request of the show organizer by the coordinator Mr Martin JOUËT in accordance with the provisions defined by the texts in force and in particular the following law of 31.12.1993 nr 93-1418 and the decree of 26.12.1994 nr 94-1159 modified and complemented by the decree nr 2003-68 of 24.01.2003.

You are therefore asked to study it and apply the regulatory measures defined in this document.

This General Coordination Plan cannot replace the provisions of the Code of Work. It does not in any way reduce the responsibilities and duties of the companies working on the site.

For ARTIBAT 2025, this coordination mission is carried out by the ARTIBAT Company via a delegated coordinator assisted by a team of experts who make up the safety group of ARTIBAT 2025.

**This document is a **General Health and Safety Plan** dedicated to Exhibitors, its suppliers and its sub-contractors.**

**Founded on general prevention principles, namely:**

- To avoid risks.
- To evaluate risks which cannot be avoided.
- To combat risks at source
- To take account of technical developments
- To replace what is dangerous by what is not or by what is less dangerous.
- To plan prevention measures by coherent integration of techniques, work organization and working conditions.
- To take collective protection measures giving them priority over individual protection measures.

**The exhibitor has a duty and legal obligation to:**

**1°) Complete the safety instructions certificate by post or email to :**

SALON ARTIBAT 2025  
1 rue Louis Marin - 44200 NANTES  
FRANCE  
Email : [technique@artibat.com](mailto:technique@artibat.com)

**Faster : Fulfil your Certificate on line on your exhibitor area**

**2°) Pass on the information about these instructions to all service providers appointed by himself whwork during the assembly and dismantling periods on his stand**

Each supplier must complete an I.H.S.P.P., which must be returned to the exhibitor. A copy of each I.H.S.P.P. must remain available for consultation on the worksite.

# Exhibitor health & Safety Instructions - 2025 3/17

## OBLIGATORY

During the assembly and dismantling periods, **access to the exhibition halls will be authorised only to people wearing an Assembly/Dismantling badge.**

Obligation of protection reminder Cf: *Chapter 8-2 of this document.*

**You are reminded that wearing safety shoes** (reinforced toe caps + antiperforation soles) **is obligatory** for anyone who enters the show site during these periods.  
**For all people working from elevated platforms and any task presenting a risk, wearing a hard hat is compulsory.**

Art. R 4412-70 of code of work  
To be accepted into the halls, **electrical cutting or sanding tools, fixed or portable, must be equipped with a vacuum or dust collection system.**

## EVENT ASSEMBLY AND DISMANTLING DATES

### BARE STANDS EXHIBITORS

SETTING UP	DISMANTLING
<b>HALL 1 - TERRACES ONLY</b> October 17th to 19th - from 8am to 6pm October 20th - from 7am to 8pm October 21st- from 7 am to midnight	October 24th from 6pm to midnight  October 25th from 8am to noon

### EQUIPED STANDS (INSIDE HALLS)

SETTING UP	DISMANTLING
October 16th from 7am to 8pm October 17th from 7am to midnight	October 20 from 6pm to midnight October 21st from 8am to noon

On the last assembly day, no motorised vehicle will be allowed into the halls  
(Unless special dispensation has been granted by the organizer).

In the dismantling period, on October 20th, motorised vehicles  
**may only work after 7 pm in the halls.**

# Exhibitor health & Safety

## Instructions - 2025 4/17

### SOMMAIRE

- |  |  |
|--|--|
| 1. GENERAL INFORMATION ABOUT THE OPERATION                 | 7. ACCESS CONTROL                                    |
| 2. ADMINISTRATIVE INFORMATION                              | 8. PROTECTIONS                                       |
| 3. GENERAL ORGANIZATION OF THE SHOWN                       | 9. GENERAL RULES OF CONSTRUCTION                     |
| 4. HANDLING CONDITIONS                                     | 10. FIRE SAFETY                                      |
| 5. CLEANING  | 11. ORGANIZATION OF EMERGENCIES                      |
| 6. INSTALLATIONS AVAILABLE DURING ASSEMBLY AND DISMANTLING | 12. THE INDIVIDUAL HEALTH AND SAFETY PROTECTION PLAN |

### 1. GENERAL INFORMATION ABOUT THE OPERATION

#### 1.1. DÉFINITION

The Exhibitors' Safety Instruction is a document written and devised by the coordinator defining all appropriate measures to prevent hazards arising from the interference of the activities of different companies during assembly and dismantling of ARTIBAT 2025.

EIt must be communicated to all exhibitors who must transmit it to their stand designer /suppliers when they have named them. It enables them to inform Suppliers and Sub-contractors about the special measures to apply to ensure safety at work.l.

#### 1.2. COMPOSITION

The Safety Instructions including a certificate.

The safety regulations of the Venue and the Fire Safety instructions are available from the organizer.

#### 1.3. DEFINITION OF THE COME

Any firm that provides services to the exhibitor, and is charged with creating the infrastructures of the stand is considered as a company. The exhibitor is responsible for his own suppliers and sub-contractors.

The company director remains responsible for the safety of his employees and is required to implement the means necessary to avoid and control risks.

The courts severely sanction any damage to the health or safety of employees and the civil and / or penal liability of the company director can be invoked.

The companies declare that they have taken note of the texts quoted in this document, as well as the general conditions of the show organization deposited with the organizer.

#### **In addition, it is supposed that companies have :**

- Taken note of plans and documents useful in carrying out the work, and of event technical files, and that they have taken due note of the sites, places and installation areas of major structures and of all general or local elements relating to the execution of the work.
- Perfectly understood all the conditions for carrying out the work and have been made fully aware of their importance and their particular features.
- Made a detailed visit of the site and taken note of all the physical conditions and all constraints pertaining to the places of work, accesses and surroundings, to the ready execution of the work, and to the on-going organization and operation of the worksite.

# Exhibitor health & Safety Instructions - 2025 5/17

## 2. ADMINISTRATIVE INFORMATION

### 2.1. THE PARTICIPANTS

#### 2.1.1. General organization

The ARTIBAT Company acts as the general exhibition organizer of ARTIBAT 2025

ORGANIZER / EMPLOYER	GENERAL SHOW DIRECTOR
ARTIBAT 1 rue Louis Marin 44200 NANTES Tel : +33 (0)2 40 89 54 81	Valérie SFARTZ
TECHNICAL MANAGER	
Jorge FERNANDES Tel : +33 (0)2 40 89 81 95 Email : technique@artibat.com	
INSURANCE AGENCY – Civil resp / Dam.to property	TOWN HALL
CABINET DEVORSINE 7 rue Racine 44001 NANTES Tel : +33 (0)2 40 69 83 13 Fax : +33 (0)2 40 69 56 37	MAIRIE DE BRUZ 12 place du Docteur Joly 35170 BRUZ Tel : +33 (0)1 55 76 75 15

#### 2.1.2 HSP Coordination / Fire Safety

HSP COORDINATOR	FIRE SAFETY REPRESENTATIVE
D.Ö.T 93 rue du Château 92100 BOULOGNE Tel : +33 (0)1 46 05 17 85 Email: sps@d-o-t.fr	Hervé PIERRE 2 rue Maurice Utrillo 95110 SANNOIS Tel: +33 (0)6 75 71 56 98 Email: herve@hervepierre.com
<b>The safety commission inspection is expected on Tuesday 21<sup>st</sup> of october from 2pm</b>	
FIRE PROOFING	
Groupement NON FEU 37-39, rue de Neuilly BP 249 - 92113 CLICHY Tel: +33 (0)1 47 56 31 48	Groupement Technique Français de l'ignifugation 10 rue du Débarcadère 75017 PARIS Tel: +33 (0)1 40 55 13 13
EXPERT IN THE SOUNDNESS OF MAJOR STRUCTURE	
SOCOTEC 318 route de Fougères, immeuble Le Noven 35706 Rennes Tél. : +33 (0)2 99 83 47 00	ICE - Monsieur Hani KURDI 67 route d'Orléans 45270 QUIERS SUR BEZONDE Tél. : +33 (0)2 38 07 14 29

# Exhibitor health & Safety Instructions - 2025 6/16

## 2.2. DEFINITION OF WORK AREAS

VENUE	HALLS
Parc Expo RENNES AEROPORT La Haie Gautrais CS 27211 - 35172 BRUZ Cedex Tél. : +33 (0)2 99 52 68 42 Email : info@parc-expo.com	<b>All of them</b>

## 2.3. THE OFFICIAL BODIES

INSPECTION OF WORK	CRAMIF
18, Avenue Henri Fréville 35200 RENNES Tél. : +33 (0)2 99 26 57 57 Fax : +33 (0)2 99 26 57 52	Service prévention 236, Rue de Châteaudun 35030 RENNES Cedex 9 Tél. : +33 (0)2 99 26 74 74 Fax : +33 (0)2 99 63 33 45
O.P.P.B.T.P.	Glossary
18-20 Rue Babon Rault 35000 RENNES Tél. : +33 (0)2 99 38 29 88 Fax : +33 (0)2 99 63 33 45	CRAM : Caisse Régionale d'Assurance Maladie OPPBTP : Organisme Professionnel de Prévention du Bâtiment et des Travaux Publics

## 2.4. EMERGENCY SERVICES ON THE SHOW SITE:

EMERGENCY POST	FIRE SAFETY
Information displayed at the halls entrances	Information displayed at the halls entrances

## 2.5. OFF SITE

FIRE SERVICE	POLICE STATION
Tél. : 18 or 112 (mobiles)	8, Avenue du Général de Gaulle 35170 BRUZ Tél. : 17 ou + 33 (0)2 99 52 61 06
SAMU	NEAREST HOSPITAL
Tél. : 15 or 112 (mobiles)	Hôpital Sud 16 Boulevard Bulgarie 35200 RENNES Tél. : + 33 (0)2 99 28 43 21

# Exhibitor health & Safety Instructions - 2025 7/17

## 3. GENERAL EVENT ORGANIZATION

### 3.1. GENERAL PRESENTATION OF THE SHOW

Cf. website [artibat.com](http://artibat.com)

### 3.2. SCHEDULE OF USE OF HALLS

Public opening

#### DATES & TIME

The 22nd of October 2025 from 9 am to 7pm  
the 23th of October 2025 from 9 am to 9 pm,  
the 24th of October 2025 from 9 am to 6 pm

### 3.3. VARIOUS SERVICE PROVISIONS

Cf. Exhibitor area

### 3.4. SITE CONSTRAINTS

#### 3.4.1 Traffic movements inside the park

The temporary occupation of this site implies compliance with the standards and conditions (Times of access, parking, speed etc...) defined by the regulations in force in this enclosure and its surroundings. These regulatory texts, as well as the site specifications, can be consulted by contacting the Organizer.

Management of parking (and its duration), traffic movements and access to delivery vehicles displaying authorisation will be set up around the halls and in the park. (See Exhibitor Guide)

Private vehicles must be parked in the car parks.

They must not approach the surroundings of the halls. Any vehicle even parked, must be able to be identified.

#### 3.4.2 Traffic movements inside the halls

No delivery or private vehicles will be allowed in the halls, during the assembly and dismantling periods, without access authorisation from the organizer.

Means of transporting people (**motorised or not**) such as: scooter, bicycle, roller blades, electric vehicles, etc... are prohibited in the halls.

Plans showing traffic movement areas, position and contact details of emergency services, the location of open toilet facilities, access schedules for machines and the storage areas will be posted at the entriess.

The free movement (of men and lifting equipment) around the stands must be possible at all times during assembly and dismantling.

There must be no storage or parking on the traffic movement areas defined on the plan of the halls .

RESPECT: INSIDE	RESPECT: OUTSIDE
The paths marked out for fire services and traffic movement areas The storage areas The environment by using non-polluting machines	Access routes for fire services Parking areas Unloading areas Access gates

# Exhibitor health & Safety

## Instructions - 2025 8/17

### 4. HANDLING CONDITIONS

#### 4.1. GENERAL REMARKS

The movement of machines presents risks and must be reduced to a minimum by strict management and distribution of the equipment.

They must be kept in good working order and have satisfied regular inspections in conformity with the Article R4535-7 of Code of work.

**Machines must hold the following documents** (Article L 4711-1 of Code of work.) :

- Valid insurance certificate
- Valid certificate of conformity (checking report of lifting devices)..

Pallet trucks must not be overloaded. It is important to take account of the centre of gravity of the load and the state of the ground to ensure that the load does not overturn

It is strictly forbidden to climb on machine not provided to transport passenger

Necessary organizational measures should be taken to limit recourse to manual handling to the minimum. (Article R 4541-3 of Code of Work).

However, when it cannot be avoided, the employer must take appropriate measures or put at the disposal of the workers, suitable measures, to limit physical effort and to reduce risks during handling (Mechanical assistance, grasping means).

The weight of the loads must be reduced and the working post must be adjusted to do the handlings in the best conditions. (Working space, reduction of the distance that the loads need moving...).

The staff must be trained in the risks of handlings.  
The load must not split when it is moved.

For the handling of glass panels, it is recommended to use suction cups. In the same way, for handling plywood sheets, the use of handling clips or panel carriers is recommended.

The containers of bulk loads intended to be hung on working equipment used for lifting must be capable of resisting the efforts undergone during the loading, transport, handling and storage of the load and be equipped to prevent the untimely collapse of all or part of the load during the same operations.

**The use of straps to fix the loose loads on the forks of the lifting trucks is obligatory.**

#### 4.2. USE OF MACHINES WITH AN ENGINE

The drivers must be at least 18 years of age and hold driving permits issued by the employer as well as the CACES (safe driving aptitude certificate) and the Special Medical Fitness Certificatee.

These documents must be available for inspection on the site. The users of these machines must comply with the manufacturer's instructions. No carrying a passenger, no lifting a person if the machine is not intended for the purpose, USE OF NONPOLLUTING MACHINES adapted to the tasks, places, loads and configuration of the ground.

**The speed limit must be respected for any movement outside the halls. It must be reduced and appropriate inside the halls.**



# Exhibitor health & Safety Instructions - 2025 9/17

## 4.3. LIFTING REGULATIONS

**For any use of a crane, a special request must be made to the organizer.**

This request must specify where the crane will be operating and the technical constraints of use and assembly. These constraints must appear in the company I.H.S.P.P.

**The work area of the crane must be secured**

The conformity certificate of the lifting equipment and accessories must be available for inspection.

It is essential that the maintenance and operation of all lifting gear are exclusively carried out by the company.

**Which provides the equipment. This equipment is the sole responsibility of this company.**

Whatever the means of lifting used, the users must take care not to work over any other workers and to take all necessary safety provisions.

This equipment is the sole responsibility of this company.

Movements with loads in high position are banned, except with the presence of a guide who must warn the people of this operation

The maximum load indications of each strap must be respected.

The lifting works must be done in accordance with the articles R 4534-95 à 102 of the French Code of Work

### REMINDER : IT IS FORBIDDEN

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>- To drive a truck without a driving licence.</li><li>- To allow your truck to be driven by an unauthorised person.</li><li>- To lift a load greater than the machine's capacity..</li><li>- To increase the value of the truck's counterweight.</li><li>- To lift a poorly balanced load.</li><li>- To lift a load with only one arm of the fork..</li><li>- To move around with a high load.</li><li>- To move around with a high load..</li><li>- To take corners at high speed</li><li>- Not to observe traffic signs.</li><li>- To use traffic lanes other than those established.</li><li>- To carry people on trucks not specially designed for the purpose.s.</li></ul> | <ul style="list-style-type: none"><li>- To leave the engine running in the absence of the driver.</li><li>- To lift people with trucks not specially designed for the purpose</li><li>- To abandon a truck in the movement aisles or on a slope&lt;</li><li>- To leave the ignition key in the vehicle when the driver is absent..</li><li>- To park or go under a fork in the high position, even unloaded..</li><li>- To park or go under a fork in the high position, even unloaded.</li><li>- To smoke near a charging battery or while thermal trucks are being filled.</li><li>- To place metal parts on accumulator batteries.</li></ul> |
|---|---|

## 4.4. STORAGE

It is imperative for materials to be stored on the aisles (or parts of aisles) reserved for this purpose, in the enclosure of the worksite or the storage areas when they are provided.

For this purpose, traffic movement plans will be posted at the accesses to the halls. The schedules and restrictions of use will be specified on these plans.

**All workers are asked to respect these plans scrupulously.**

At the end of assembly, racks, pallets, etc... must not be stored inside the Show and in the areas behind the claddings (unless authorised to do so by the organizer).).

Machines must not be stored, during the assembly–dismantling period, in the traffic movement aisles, but in a storage area determined with the organizer's technical managers

The exhibiting companies (and their subcontractors) must schedule the arrival of their equipment and materials, their distribution, as well as the departure of empty packaging so that they do not interfere at any time with the movement of machines and men in the aisles.

For the period when open to the public, no machine will be allowed in the enclosure of the halls..

# Exhibitor health & Safety

## Instructions - 2025 10/17

### 5. CLEANING

Exhibiting companies are responsible for cleaning their site and removing their rubble and waste of all kinds. The work-site must be kept clean at all times to prevent hazards that could be caused by rubbish blocking the aisles around the stand. They must plan the reservation and removal of skips and organise how they are filled. It is the responsibility of eachworker either to cover the skips, or to weigh down the rubble to prevent it from flying around

**You are reminded that no worker must climb into a skip or truck.**

### 6. INSTALLATIONS AVAILABLE DURING THE ASSEMBLY AND DISMANTLING PERIODS

#### 6.1. INSTALLATIONS IN COMMON

To ease the general organization of assembly and dismantling, and improve working conditions, the Safety Coordinator demand to the Organizer to ask the Venue to open additional communal toilet facilities in the exhibition halls from the first day of assembly to the end of dismantling. A maintenance service will see to the cleaning of these facilities.

**The toilet facilities that are open will be indicated on the plans posted up at the halls entrances.**

#### 6.2. CLOAKROOMS

The company is required to place cloakroom facilities (if necessary) at their staff's disposal, in application of current legal texts, available for consultation from the organizer. There will be no canteen for meals.

#### 6.3. TELEPHONE ON SITE

Each company places at its staff's disposal a telephone accessible when the site is open for work.

#### 6.4. ACCOMMODATION

##### **The Company is responsible for providing**

The Company is responsible for providing off-site accommodation for its staff.

### 7. ACCESS CONTROL

#### 7.1. PROTECTION OF WORKERS

##### 7.1.1. Medical fitness

All personnel called upon to work on the site must be recognised as being medically FIT, and have undergone the obligatory medical examinations and vaccinations associated with the exercise of their profession, as well as those required by Medicine of Work. These certificates must be available on the site..

##### 7.1.2. Safety training

In conformity with current regulations, and at its own responsibility, the company must ensure that every worker arriving on the site has attended safety-training sessions. (Presentation of special risks, conditions of traffic movements outside and inside the site, safety conditions applicable when carrying out work, special safety instructions, explanation of the operating method, follow-up of preventive measures that have been defined for each task in the Individual Safety and Health Protection Plan).

#### 7.2. REGISTERS

##### 7.2.1. Legal Registers

The company must hold obligatory legal documents at the site, as they may be asked for by administrative inspection services. All employers based outside France with the intention of providing services in France must submit a prior declaration of posting of its workers to the work inspectorate branch of the place where the service is to be provided, before the posting gets underway. Access to the online declaration portal: [www.sipsi.travail.gouv.fr](http://www.sipsi.travail.gouv.fr)

##### 7.2.2. Joint site visits

When they arrive on the assembly and dismantling site, companies who have never worked on the site before must make a joint inspection visit with the Safety Coordinator of their stand. A site visit file will be established by the Coordinator and signed by each company manager..

# Exhibitor health & Safety Instructions - 2025 11/17

The safety and protection measures are defined with the site managers and the stand Safety Coordinator in reference with the G.H.S.P.C.P established by the Coordinator, taking account of the event G.H.S.P.C.P according to the state of the site at the time of the visit and the way the visit is carried out..

## 7.3. ACCESS

**Access to the Exhibition Ground is restricted to persons and vehicles with a badge (downloadable from [www.artibat.com](http://www.artibat.com))**

Notices prohibiting access to the public stating the essential safety regulations to be observed on the site will be posted up at the halls entrances. These accesses will be guarded. Visits to the worksite by persons other than the authorised workers (children, friends, family, pets...) are strictly forbidden.

## 8. PROTECTION

The workers are reminded that they must give priority to COLLECTIVE protections over INDIVIDUAL protections, anytime that it is technically possible..

### 8.1. COLLECTIVE PROTECTION

**Définition:** Standardised means of protection set up by a company (barriers, nets, floor, cladding, guard rails...); designed to ensure the collective safety of staff working at a height or on an upper floor during assembly and dismantling.

This collective protection must be rigid composed of a high and low hand rail and a baseboard, safely attached and must be installed from the outside with appropriate means, before any work is purchased on a storey or at height during assembly or dismantling. It must be removed only after the installation of the definitive protection or partition. The stairs must be assembled as a priority and made safe by guardrails as soon as they are set up.

The stairs cavities must be protected (Closed or with a guardrail). Material deliveries access must be sec.

It is reminded that the structure of the mezzanine, or high decorative parts must be designed to take collective protection.

For the dismantling all these protection must be reinstalled.

Each company in their respective Individual Health and Safety Protection Plan must describe collective protections.

The company must see to the maintenance of collective protections and will be held responsible if work is carried out in areas not prepared and not protected. It must intervene immediately at any direct request from the stand Coordinator to restore or supplement these protections.

**Article R 4323-65 – The collective protection devices must be designed and installed in order to avoid a gap at work station access points namely when a ladder or staircase is used. However when such a gap is unavoidable measures must be taken to ensure equivalent safety.**

If a company fails to establish collective protection, the absence of which constitutes a risk for other trades and its own staff, the exhibiting company will have these collective protective measures set up by a company of its choice, at the expense of the defaulting company..

**Any ensuing work stoppage will also be charged to the defaulting company.**

# Exhibitor health & Safety Instructions - 2025 12/17

## 8. 2 INDIVIDUAL PROTECTIONS

When collective protection system cannot be implemented, the workers protection must be ensured by appropriate "stop falling" system that cannot permit a free fall as more as one meter. When this kind of equipment is used, the worker must never leave alone.

LCompanies that have to intervene during the assembly and dismantling periods must, among other things, provide their staff with the following individual protection equipment (IP):s:

- Work clothes,
- Gloves adapted to the work,
- Safety hard hats compliant with standards,
- Safety shoes (reinforced toes + anti-perforation soles),
- Safety harness that conforms to standards when the collective protection provisions cannot be implemented. (Art R 4223-61 of the Work Code).
- Welding mask and safety goggles during welding, unloading or grinding work.

Respect for these provisions, and the upkeep and good condition of this equipment is the responsibility of each company.

- Wearing safety shoes (safety toe-caps + anti-perforation soles) is compulsory for any person entering the show site during the assembly and dismantling periods.
- For all people working from elevated platforms and any task presenting a risk, wearing a hard hat is compulsory.

## 9. GENERAL RULES OF CONSTRUCTION

### 9.1. DECORATIONS

The decorations must, as much as possible, arrive on the site ready to be assembled so as to reduce building operations to the minimum and the risks which result from this. They must be designed for safe, clean dismantling.

It is strictly forbidden to « blow out » panels and partitions during dismantling.

### 9.2. WORKING AT HEIGHTS

Decree nr 2004-924 of 01.09.2004 concerning the use of work equipment made available for temporary work at a height and integrating new provisions in the labour code (Articles R 4323-58 to R 4323-90))

**It is obligatory for companies installing marquees, tents or structures, during the assembly, maintenance and dismantling periods, to set up collective protection measures appropriate for any work on roofs by their staff.**

**The methods considered for carrying out this work must appear in the company I.H.S.P.P.**

**In any case the people working for the building and dismantling must have a certificate to work at height and a valid authorization from his employer.**

Ladders, stepladders and footstep platforms must not be used as work positions  
(Article R 4323-63 of the work code)

However these facilities may be used when it is impossible to use equipment providing a collective protection to the workers or when the risk has been evaluated as low and the work is for a short and non-repetitive length of time (article R 4323-63 of the work code).

L'entreprise doit fournir la prévention mise en place lors de l'utilisation dudit matériel.

The companies may work at heights with scaffoldings or mobile platforms.

# Exhibitor health & Safety Instructions - 2025 13/17

Approved personnel must assemble scaffolding, respecting the directives or instructions of the manufacturer; the platforms must be correctly positioned, guardrails and stability props must be in place.

Article R 4323-77 – scaffolding must be equipped on the exterior sides with collective protection devices as outlined in paragraph 2 of the article R 4323-59.

- The scaffolding must be level when it is used.
- The wheels of mobile scaffolding must be locked in position when it is in use.
- No worker must remain on mobile scaffolding while it is being moved.

For the assembly of scaffolding, steps, etc..., it is essential for companies to equip their personnel with hard hats and safety harness, in addition to safety shoes and gloves. They must make sure that the use of these I.P. by their personnel is effective. Legal restrictions concerning work at heights must be respected.



**PAL - Powered Access License**  
or any other Safe Machines Driving  
License

**Ladders, stepladders and footsteps must not be used  
as work positions.**  
Article R 4323-63 of the work code

However these facilities may be used when it is technically impossible to use  
equipment providing a collective protection to the workers or when the risk has been  
evaluated as low and the work is for a short and non-repetitive length of time



# Exhibitor health & Safety

## Instructions - 2025 14/17

### 9.3. MEASURES TAKEN CONCERNING CO-ACTIVITY

Companies must provide a detailed assembly and dismantling schedule in their I.H.S.P. Any work which might create a situation placing workers over each other must be resolved by carrying out the work at different times, or with special protection arrangements.

Within the framework of the timetable of assembly and dismantling work, companies acting on the same site must take all appropriate individual protection measures to prevent hazards caused by superimposed work, particularly during the installation and dismantling of gantries, signposting, light adjustments of the altimetric readings, and assembly/dismantling of large equipment.

The exhibitor or his project manager must set up a work schedule taking into account a chronological order of assembly, to avoid tasks at different levels in the same site and to carry out these tasks using suitable means.

These means can be common to several workers or companies.

This chronological order will be in the same way adapted to dismantling

**The external working areas must be marked out or cordoned off with barriers so that they are inaccessible to people not involved with the assembly.**

**The fences or barriers must in all cases be stabilised so as not to overturn if there are gusts of wind or if knocked into by a vehicle.**

### 9.4. SITE CONNECTIONS / LIGHTING

#### 9.4.1. Regulations

Electrical installations on the worksite must be carried out according to regulations in force.

The personnel working on the electrical installations must have received training and must hold an approval certificate under publication UTE C 18510.

Moreover, companies, which use the installations, are required to point out immediately any defect or deterioration they observe to the managers of the Exhibition site.

The technical traps of the hall must be correctly closed or protected in case of temporary opening to avoid any risk of falling of people.

An approved body must inspect the worksite electrical installation before being brought into service.

This inspection report must be available for consultation and kept on site throughout the assembly and dismantling periods.

To avoid risks of electrocution, deterioration of electricity cables, and the multiplication of connections on a same line: Unauthorised connections on the existing power points in the halls will not be tolerated.

# Exhibitor health & Safety

## Instructions - 2025 15/17

All the worksite cables and extension leads must be in good condition and compliant with current standards. Worksite electricity cabinets are available from the Park.

### 9.4.2. Lighting

The general lighting in the work areas must be compliant with lighting regulations determined by decree nr 83.721 of 2 August 1983 and repeated in the work code in articles R 4223-1 to 12:

Light intensity in working areas must be at least 120 Lux, and 60 Lux in traffic movement aisles

The assembly and dismantling of decors may obscure the light in the halls (roofing, canopy, stretched ceiling, mezzanine floor...), so provisional lighting must be provided..

## 9.5. PREVENTION OF RISKS OF PROFESSIONAL DISEASES

### 9.5.1. Hazardous materials

It is imperative for any company that needs to use hazardous products to send the safety data sheets to the Safety Coordinator and to the Fire Safety Control Agency, **and put in place the protection measures specified on the sheet.**

**Companies are informed that any glue, resins, paint and products used must be free from solvent, ether, glycol, and be odourless and antiallergic.**

### 9.5.2. Noise disturbance

The use of noisy machines or equipment must adhere strictly to current regulations.

All necessary methods and provisions must be used (hood, screen, silencer etc...) so as not to exceed the regulatory limits as regards acoustic levels.

## 9.6 RULES FOR USE OF ELECTRICAL TOOLS, FIXED OR PORTABLE.

To avoid dust, fumes emission or noxious emanations when fixed or portable electrical tools are used (Saws, sanders, blowtorches, welding torches, etc...), efficient protection means must be provided (Central vacuum, masks, glasses...).. Only water disc cutters will be allowed for cutting tiles, stones...

To be accepted into the halls, electrical cutting or sanding tools, fixed or portable, must be equipped with a vacuum or dust collection system. Art. R 4412-70 of code of work

These appliances must be compliant with the standards (CE), be in good operating condition and equipped with their protective shields. They must in no circumstances be placed in the movement aisles, and the electricity supply must be disconnected when they are not in use

### 9.6.1. Fire permit

An extinguisher appropriate to the risks must be placed by the user company near hot point work (welding stations, etc...).

For any grinding or welding operation, a fire permit must be applied for from the venue department in charge.

# Exhibitor health Safety Instructions - 2025 16/17

Gas bottles under pressure must be protected from knocks, falls and heat, and no unauthorised person must be able to have access to them.

**It is forbidden to keep or store gas bottles, full or empty, in the halls.**

## 10. FIRE SAFETY

The fire safety regulations are deposited with the organizer and available in the Exhibitor Guide.

The Official Safety Committee is very strict as regards structural construction (construction and decoration materials, solidity and stability of structures, upper floors, emergency provisions, electrical fittings, etc...).

The decisions taken by the committee during its tour of inspection are enforceable immediately. At the time of this Committee's tour of inspection, the stand installation must be complete. The exhibitor (or his representative) must be present on the stand and be in a position to supply fire reaction reports drawn up by an approved French laboratory in respect of all materials used, together with the reports of inspections of electrical installations, soundness of structures, etc... Failure to respect these regulations may involve the removal of materials, or it may be forbidden for the stand to be opened to visitors.

## 11. ORGANIZATION OF EMERGENCIES

### 11.1. COMPANY EMERGENCY MEASURES

The company must have a first aid kit available on the site. The contact details of the show's emergency first aid post are indicated on the halls plans.

The first-aid worker present within each company on the site will provide first aid in the event of an accident.

They must wear an identification pictogram on an armband or on their helmets and their names must be entered in the I.H.S.P.P. 1 First Aid worker for 10 employees.

**In case of accident precise :** The hall

The stand name

The lane and the stand number

Number of people involved and injuries kinds

**THE EMERGENCY PHONE NUMBERS ARE DISPLAYED AT THE TECHNICAL OFFICE**

### 11.2. COLLECTIVE ORGANIZATION OF THE SHOW

**EMERGENCY POST & FIRE SAFETY**

**Displayed on site**

**FIRE SERVICE : 18 or 112 (mobiles)**

**SAMU : 15 or 112 (mobiles)**

## 12. THE INDIVIDUAL HEALTH AND SAFETY PROTECTION PLAN

All the exhibitor's stand providers must draw this document.

- . At least 30 days before any assembly for main contracts.**
- . At least 8 days for work of short time and/or finishing work.**

All the companies working for the exhibitor must give this form to stand employer and to the safety coordinator if the case arises before any work on building site..

It gives a detailed analysis of the construction and execution processes as well as the chosen operational methods when they have a particular effect on the health and safety of the people working on the site.



# Exhibitor health & Safety Instructions - 2025 17/17

## 12.1. THE EXHIBITOR

The exhibiting company must give a copy of the Safety Instructions drawn up by the show Safety Coordinator to their service providers or to the safety coordinator appointed for his stand. This document deals with the selected general organization measures which are of a nature to have an influence on the health and safety of the workers.

## 12.2. COMMUNICATION OF THE DOCUMENT

The stand Safety Coordinator is required to communicate to every company working on the site (at their request) the names and addresses of the other contracting companies, together with their I.H.S.P.P

## 12.3. AVAILABILITY OF THE I.H.S.P.P

A copy of the I.H.S.P.P. must be available at all times on site for consultation by the companies.