

Regulations specific to the “Worksite equipment and machines - Vehicles” sector (Hall 1 and Terraces)

As part of your participation in the ARTIBAT 2025 trade show on an exhibition area, in Hall 1 and on the terraces, and with regard to the equipment that may be presented, you will find below the special exhibition conditions.

<p>Space available</p>	<p>Maximum height: 5m in Hall 1 and 25m on the terraces. Any request to exceed the height limit in Hall 1 must be approved in advance by the organizer, in order to verify its feasibility and ensure the safety of the building, its suspended equipment and the people in the hall. You must respect the limits of the space made available to you, whether on the floor or above ground. The exhibitor's installation must be within the confines of his stand, including all fixtures, structures and ballast, and leave the aisles completely free for traffic. Installation plans must be sent to ARTIBAT for validation by our safety officer.</p>
<p>Crane, high equipment</p>	<p>Maximum deployment height: 25m Any product exhibited on a terrace using a height greater than 10.00 m (crane, articulated arm, telescopic equipment, signage, etc.) must be approved by the organizer. In all cases, the use of a crane or telescopic equipment must be declared to the organizer in order to understand the interaction with site constraints and other exhibitors. The organizer reserves the right to impose the height of the crane, to limit the jib's deployment, and to request that the crane's rotation be blocked in order to ensure safety and respect for the overall exhibition. The organizer reserves the right to limit the spread of any telescopic equipment to ensure safety and respect for the overall exhibition. For cranes and telescopic equipment, it is compulsory for a person to be present throughout the event to maneuver the equipment, or to fold it up, in case it needs to be secured. For all equipment with hydraulic jacks presented in a high static position, the hydraulic safety devices must be supplemented by a mechanical device to prevent any inadvertent deployment (Article T40 §3 of the ERP legislation and regulations).</p>
<p>Structure (Tent or marquee)</p>	<p>Installed structures must be ballasted (stitching prohibited). For the installation of tents or marquees, you must comply with the CTS regulations and their update of 18/02/2010 (including the indication and respect of the necessary ballasting, the conformity of the equipment and its installation, the installation distances of heaters as well as the indispensable fire safety means). Extracts from the safety register as well as a certificate of proper assembly and connection to the floor must be supplied to the organizer before the show opens to the public. As the safety commission prohibits all gas heating systems in the halls, we inform you that only electric heaters (auxiliary heaters, electric parasols, etc.) are authorized.</p>
<p>Electricity</p>	<p>You must respect the floor distribution cables and electrical boxes (any damage will be billed). In order to protect the equipment and ensure its smooth operation during the show, the boxes may only be installed on the stand once assembly has been completed. Please inform us of your electricity requirements during set-up before July 7, 2025.</p>